

Certificate of Compliance

Certificate: 1307509 (112157)

Master Contract: 152005

Project: 1307509

Date Issued: 2002-04-01

Issued to: Kraus Global, Inc.
 25 Paquin Road
 Winnipeg, Manitoba R2J3V9
 CANADA
 Attention: Dwight Kjartanson

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US'



Issued by: Matthew Medlen

Authorized by: George Gruss
 Operations Manager

PRODUCTS

3305-06 ACCESSORY DEVICES (GAS) - Power Operated Dispensers for LP Gas

Model Number	Electric Rating	Maximum Capacity	Minimum Capacity	Working Pressure
KRP-S1	B	5 L/min	50 L/min	350 psig
KRP-S2	B	5 L/min/side	50 L/min/side	350 psig
KRP-N1	B	5 L/min	50 L/min	350 psig
KRP-N2	B	5 L/min/side	50 L/min/side	350 psig
KRP-LC1	B	5 L/min	50 L/min	350 psig
KRP-LC2	B	5 L/min/side	50 L/min/side	350 psig
KRP-S1H	B	5 L/min	50 L/min	350 psig
KRP-S2H	B	5 L/min/side	50 L/min/side	350 psig
KRP-N1H	B	5 L/min	50 L/min	350 psig
KRP-N2H	B	5 L/min/side	50 L/min/side	350 psig
KRP-LC1H	B	5 L/min	50 L/min	350 psig
KRP-LC2H	B	5 L/min/side	50 L/min/side	350 psig

These dispensers are for use with liquefied petroleum gases.

Electrical Rating B...120V, 60Hz, 1 Ph

The 'C' and 'US' indicators adjacent to the CSA Mark signify that the product has been evaluated to the applicable CSA and ANSI/UL Standards, for use in Canada and the U.S., respectively. This 'US' indicator includes products eligible to bear the 'NRTL' indicator. NRTL, i.e. National Recognized Testing Laboratory, is a designation granted by the U.S. Occupational Safety and Health Administration (OSHA) to laboratories which have been recognised to perform certification to U.S. Standards.



Certificate: 1307509

Master Contract: 152005

Project: 1307509

Date: 2002-04-01

3305-86 ACCESSORY DEVICES (GAS) - Power Operated Dispensers for LP Gas

Model Number	Electric Rating	Maximum Capacity	Minimum Capacity	Working Pressure
KRP-S1	B	5 L/min	50 L/min	350 psig
KRP-S2	B	5 L/min/side	50 L/min/side	350 psig
KRP-N1	B	5 L/min	50 L/min	350 psig
KRP-N2	B	5 L/min/side	50 L/min/side	350 psig
KRP-LC1	B	5 L/min	50 L/min	350 psig
KRP-LC2	B	5 L/min/side	50 L/min/side	350 psig
KRP-S1H	B	5 L/min	50 L/min	350 psig
KRP-S2H	B	5 L/min/side	50 L/min/side	350 psig
KRP-N1H	B	5 L/min	50 L/min	350 psig
KRP-N2H	B	5 L/min/side	50 L/min/side	350 psig
KRP-LC1H	B	5 L/min	50 L/min	350 psig
KRP-LC2H	B	5 L/min/side	50 L/min/side	350 psig

These dispensers are for use with liquefied petroleum gases.

Electrical Rating B...120V, 60Hz, 1 Ph

APPLICABLE REQUIREMENTS

ANSI/UL-495-1987 Power-Operated Dispensing Devices for LP-Gas

CAN1-12.4-M84 Dispensing Devices For Propane Fuel For Highway Vehicles.

MARKINGS

All markings and printed instructions are in compliance with the above mentioned requirements. Samples are contained in the main certification report.



Supplement to Certificate of Compliance

Certificate: 1307509 (112157)

Master Contract: 152005

*The products listed, including the latest revision described below,
are eligible to be marked in accordance with the referenced Certificate.*

Product Certification History

Project	Date	Description
1307509	2002-04-01	Supersedes Report No. 112157-5 (New Format Only)
112157-5	1999-05-26	Original Certification.